

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L23	10	19 and ((insert\$4 edit\$4 modif\$8) with (playback near3 progress))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/14 07:45
L22	58	L21 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/14 07:43
L21	102	L20 and playback	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/14 07:43
L20	1748	(insert\$4 with elaps\$4 with time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/14 07:43
L19	402	18 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/14 07:42
L18	883	playback near3 progress	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/14 07:42
L17	114	L16 not L12	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/14 07:40
L16	144	L15 and insert\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/14 07:40
L15	246	L14 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/14 07:40
L14	590	L13 and (elaps\$4 with time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/14 07:40
L13	3282	(shift\$4 mov\$4) with (position location) with playback	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/14 07:40
L12	30	L11 and insert\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/14 07:40
L11	71	L10 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/14 07:40
L10	146	L9 and (elaps\$4 with time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/14 07:40
L9	706	(shift\$4 mov\$4) with (position location) with (start \$4 begin\$4) with playback	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/14 07:40

L1	1	"7100187".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/14 07:35
S157	25	S156 and elaps\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/13 21:49
S156	138	S154 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/13 21:49
S155	14304785	11and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/13 21:49
S154	276	(mov\$4 shift\$4) near5 (start \$4 shift\$4) near5 position with (playback (play\$4 near3 back))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/13 21:48
S153	69817	(mov\$4 shift\$4) near5 (start \$4 shift\$4) near5 position	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/13 21:48
S152	30	S151 and insert\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/13 21:46
S151	71	S150 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/13 21:46
S150	146	S149 and (elaps\$4 with time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/13 21:46
S149	705	(shift\$4 mov\$4) with (position location) with (start \$4 begin\$4) with playback	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/13 21:46
S148	1	"5767845".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/13 21:32
S147	1	"20030016947"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/13 17:18
S146	2	S145 and (insert\$4 input\$4 edit\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/13 16:59
S145	3	S144 and shift\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/13 16:57
S144	5	S143 and (time insert\$4 elaps \$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/13 16:56
S143	6	okujima.inv. and kunthiro	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/13 16:56
S142	114	S141 not S137	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/13 12:25

S141	144	S140 and insert\$4	US-PGPUB; USPAT, EPO, JPO, IBM_TDB	OR	ON	2009/07/13 12:24
S140	246	S139 and @ad<="20040205"	US-PGPUB; USPAT, EPO, JPO, IBM_TDB	OR	ON	2009/07/13 12:24
S139	590	S138 and (elaps\$4 with time)	US-PGPUB; USPAT, EPO, JPO, IBM_TDB	OR	ON	2009/07/13 12:24
S138	3279	(shift\$4 mov\$4) with (position location) with playback	US-PGPUB; USPAT, EPO; JPO, IBM_TDB	OR	ON	2009/07/13 12:24
S137	30	S136 and insert\$4	US-PGPUB; USPAT, EPO; JPO, IBM_TDB	OR	ON	2009/07/13 11:24
S136	71	S135 and @ad<="20040205"	US-PGPUB; USPAT, EPO; JPO, IBM_TDB	OR	ON	2009/07/13 11:08
S135	146	S133 and (elaps\$4 with time)	US-PGPUB; USPAT, EPO; JPO, IBM_TDB	OR	ON	2009/07/13 11:08
S134	151	S133 and elaps\$4	US-PGPUB; USPAT, EPO; JPO, IBM_TDB	OR	ON	2009/07/13 11:07
S133	705	(shift\$4 mov\$4) with (position location) with (start \$4 begin\$4) with playback	US-PGPUB; USPAT, EPO; JPO, IBM_TDB	OR	ON	2009/07/13 11:07
S132	1	S131 and shift\$4	US-PGPUB; USPAT, EPO; JPO, IBM_TDB	OR	ON	2009/07/13 10:57
S131	1	S130 and mov\$4	US-PGPUB; USPAT, EPO; JPO, IBM_TDB	OR	ON	2009/07/13 10:57
S130	1	"20060053468"	US-PGPUB; USPAT, EPO; JPO, IBM_TDB	OR	ON	2009/07/13 10:57
S129	1	"20070283236" and elaps\$4	US-PGPUB; USPAT, EPO; JPO, IBM_TDB	OR	ON	2009/07/12 22:44
S128	1	"20070283236" and shift	US-PGPUB; USPAT, EPO; JPO, IBM_TDB	OR	ON	2009/07/12 22:44
S127	0	"20060053468" and elap\$4	US-PGPUB; USPAT, EPO, JPO, IBM_TDB	OR	ON	2009/07/12 22:43
S126	10	S125 and insert\$4	US-PGPUB; USPAT, EPO, JPO, IBM_TDB	OR	ON	2009/07/12 22:29
S125	12	S113 and edit\$4	US-PGPUB; USPAT, EPO; JPO, IBM_TDB	OR	ON	2009/07/12 22:28

S124	1	"5767845".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 22:09
S123	101	S122 not S110	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:48
S122	104	S121 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:48
S121	169	S120 and insert\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:48
S120	313	S119 and playback	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:48
S119	8177	((shift\$4 mov\$4) with (position location area region)) same ((elaps\$4 with time))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:48
S118	1	S113 and shift\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:46
S117	9	S113 and playback	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:45
S116	1	S112 and insert\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:44
S115	0	S112 and (insert\$4 with time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:44
S114	0	S113 and elaps\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:43
S113	12	S111 S112	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:42
S112	1	"7149961".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:42
S111	11	("20030191816" "20040075678" "20060053468" "20050084232" "20030122862" "20040201609" "20030146915")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:42
S110	51	S109 not S103	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:22
S109	58	S102 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:22

S108	6	S105 not S106	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:06
S107	23	S103 not S106	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:05
S106	21	S105 not S103	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:05
S105	27	S102 and (shift\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:05
S104	403	S101 and (shift\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 21:05
S103	23	S102 and multimedia	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 20:55
S102	102	S101 and playback	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 20:55
S101	1747	(insert\$4 with elaps\$4 with time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 20:54
		insert\$4 with elaps\$4 with time	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 20:38
S100	1	S85 and (shift\$4 time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 17:18
S99	0	S85 and (shift\$4 and time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 17:18
S98	0	"20030016947" and elaps\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 17:17
S97	1	"20060053468"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 17:16
S96	3	S93 and time	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 17:15
S95	0	S93 and elaps\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 17:15
S94	0	S93 and elaps\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 17:15
S93	3	"20030191816"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 17:15

S92	0	"20030016947" and elaps\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 17:13
S91	1	"20060053468" and data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 17:12
S90	0	"20060053468" and elap\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 17:12
S89	0	S88 and elaps\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 17:11
S88	1	"20060053468"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 17:11
S87	1	"20070283236" and shift\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 17:02
S86	1323214	"20070283236" shift\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 17:02
S85	1	"20030016947"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/12 17:01
S84	1	"20060053468" and time	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 23:10
S83	1	"20030122862"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 22:46
S82	1	"20030122862"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 22:46
S81	1	"6977665".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 22:43
S80	1	"20060053468" and time	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 17:08
S79	1	"20060053468" and (insert\$4 edit\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 16:51
S78	1	"20060053468" and (stop\$4 end\$4 begin\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 16:01
S77	1	"20060053468" and (stop\$4 end\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 15:50
S76	1	"20060053468" and multimedia	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 14:07

S75	32	S74 and (insert\$4) with (while during) with (playback (play\$4 near3 back))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 13:41
S74	133	S71 not S73	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 13:31
S73	64	S71 not S72	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 13:31
S72	133	S71 and (template layout presentation)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 12:55
S71	197	S70 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 12:45
S70	351	S69 and multimedia	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 12:45
S69	1598	(edit\$4 insert\$4 modif\$8) with (while during) with (playback (play\$4 near3 back))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 12:45
S68	1	S65 and (during while)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 12:06
S67	1	"6670966".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 09:57
S66	1	S65 and play\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 09:53
S65	1	"20060053468"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 09:53
S64	76	S63 and (playback (play\$4 near3 back))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 09:53
S63	140	S62 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 08:19
S62	327	S61 and (confirm\$4 with (media multimedia multimedia (multi near3 media) content))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 08:19
		S61 and (confirm\$4 with (media multimedia multimedia (multi near3 media) content))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 08:18
S61	9736	(multimedia multi-media (multi near2 media)) with (template presentation layout)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/10 08:17

S60	288	S58 not S59	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 16:47
S59	121	S58 and (cellphone (cellular near3 phone) (cell near3 phone) pda (personal near4 assistant))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 16:17
S58	409	S57 not S49	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 16:16
S57	410	S56 and (time with (insert\$4 input\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 16:15
S56	811	S55 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 16:15
S55	1471	S54 and ((during while) with (playback (play\$4 near3 back)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 16:14
S54	5084	playback and (multimedia multi-media (multi near3 media)) and (template layout script) and (time) and select \$4 and (location position area)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 16:14
S53	1	S52 and playback	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 16:09
S52	1	"20030191816".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 16:09
S51	169	S49 not S50	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 15:44
S50	75	S49 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 13:53
S49	244	(stop\$5 end\$4) with playback with (start\$4) with complet\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 13:53
		(stop\$5 end\$4) with playback with (start\$4) with complet \$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 13:53
S48	6	S47 not S42	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 13:47
S47	35	S46 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 13:47
S46	102	S45 and ((during while) with playback)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 13:47

S45	1745	(area location position) with (media content) with (display\$4 insert\$4 input\$4) with (template layout script)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 13:47
S44	9	S42 not S43	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 13:00
S43	20	S42 not S38	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 12:46
S42	29	S41 and ((during while) with playback)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 12:46
S41	570	S40 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 12:45
S40	1218	(area location) with (media content) with (display\$4 insert\$4 input\$4) with (template layout script)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 12:45
S39	1	"20070283236" and during	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 12:13
S38	25	S37 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 08:58
S37	47	(cellphone (cellular near3 phone) (cell near3 phone) pda (personal near4 assistant)) and (multimedia multi-media (multi near3 media)) and (template layout) and ((insert\$4 input\$4) with (during while) with playback\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/09 08:57
S36	27	S35 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 15:20
S35	67	select\$4 with (multimedia media multi-media) with match\$4 with (template layout)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 15:20
S34	22	("20020052976" "20020087435" "20020109710" "20020138843" "20030001880" "20030034999" "20030051255" "20030090504" "20030215214" "5796945" "5841438" "5864338" "5889514" "5978648" "6016380" "6032156" "6121963" "6243092"	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 14:16

		"6295058" "6330004" "6557017" "7149961"), PN.				
S33	1	"7352952" pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 14:16
S32	32	S31 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 14:06
S31	94	select\$4 with (multimedia media multi-media) with insert\$4 with (template layout)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 14:06
S30	1	"20070283236" and shift\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 09:29
S29	169	715/823.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 09:16
S28	273	S27 and insert\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 09:10
S27	436	S26 and playback	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 09:10
S26	997	S25 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 09:10
S25	1750	S24 and ((start\$4 begin\$4) with (stop\$4 end\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 09:10
S24	3856	S23 and (period with time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 09:10
S23	9728	(multimedia multi-media (multi near2 media)) with (template layout presentation)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 09:10
S22	273	S21 and insert\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/07 21:10
S21	436	S20 and playback	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/07 21:10
S20	997	S19 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/07 21:10
S19	1750	S18 and ((start\$4 begin\$4) with (stop\$4 end\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/07 21:10
S18	3856	S17 and (period with time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/07 21:09

S17	9728	(multimedia multi-media (multi near2 media)) with (template layout presentation)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/07 21:09
S16	1	S15 and during	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/07 18:54
S15	1	"20070283236"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/07 18:54
S14	53	("20020180803" "20020193895" "20030043191" "5267155" "5542024" "5619636" "5621880" "5657447" "5724503" "5737736" "5787450" "5801687" "5819043" "5819282" "5832507" "5835758" "5855013" "5862379" "5892507" "5899990" "5907704" "5950214" "5960411" "5960421" "5963952" "5973694" "5974407" "5974411" "5983176" "5983245" "5987501" "6002401" "6031527" "6044368" "6054986" "6055537" "6061696" "6085185" "6085223" "6108010" "6111590" "6188396" "6222532" "6237025" "6263486" "6317795" "6356708" "6570837" "6573907" "6630934" "6640304" "6751800" "6792607").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/05 22:42
S13	1	"20070283236" and template	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/05 19:21
S12	27	S11 and playback	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/05 18:13
S11	189	S10 not S8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/05 18:10
S10	190	S9 and @ad<="20040205"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/05 18:10
S9	386	insert\$4 with (media multimedia multi-media video) with template	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/05 18:10

S8	40	((play playback) with (multimedia multi-media media) near3 (template))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/05 17:52
S7	1837	(multimedia multi-media media) near3 (template)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/05 17:51
S6	1	S1 and apparatus	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/05 16:58
S5	0	S1 and appartus	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/05 16:58
S4	85	Sugiura.inv. and masataka	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/05 16:43
S3	2900	715/200-204.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/05 16:43
S2	1	S1 and playback	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/05 15:26
S1	1	"20070283236"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/05 15:11

7/14/09 8:19:20 AM

C:\Documents and Settings\Ngyuen13\My Documents\EAST\workspaces\10588065.wsp